

prota

3-7 Pole Plug-in Ceiling Rose



Contents

Prota Kits	2-7
Decorative Covers	8
Sockets	8
Standard Luminaire Leads	9-10
Emergency Luminaire Leads	11-14
Dimmable Luminaire Leads	15-16
Dimmable Emergency Luminaire Leads	17-20
Luminaire Leads for Special Applications	21-22
Non-maintained, Emergency Luminaire Leads	23-24
Permanent Supply Luminaire Leads	25-26
Permanent Supply with Emergency Luminaire Leads	27-28
DALI Luminaire Leads	29-36
Technical Details	37-39



3-7 Pole Plug-in Ceiling Rose

Prota is the world's first 7-pole 'decorative' plug-in ceiling rose. Incorporating the trusted flex7 plug and socket interface, Prota is ideal for surface installations where final connection to the luminaire has to be aesthetically pleasing.

The socket fits onto any standard BESA box. Suitable for standard, dimmable, or specialist lighting applications. The plug latches into place with a satisfying 'click' and the decorative cover, secured with a simple quarter twist, provides the finishing touch.

Available in black, white, and red options.

Available in 3-7 pole options (incl. earth).

Suitable for all lighting applications; (simple on/off, dimmmable or specialised.)

Large capacity terminals;

(easily accept 5 x 1.50mm² conductors.)

Suitable for on-load connection/disconnection of luminaires

Easy to remove cover.

100% tested at point of manufacture.

Designed and manufactured in the UK.

Easily accessible side-facing terminals:

Side-facing terminals provide easy access for test equipment probes. Simply remove the socket cover to access. There is no need to pull the socket away from the BESA box, so no need to disturb the fixed wiring.

Socket sits completely flush to BESA box:

There is no back projection of the socket into the BESA box, which means wiring space is maximised. This reduces the risk of trapping/stressing conductors as the socket is secured.





For your convenience we supply popular Prota parts in kit form. Kits comprise a socket, a luminaire lead and a decorative cover.

We offer an extensive range of luminaire leads which minimise installation time. All variants are available in Low Smoke Halogen Free (LSHF) cable, in accordance with BS EN 50525-3-11 and CPR rated to category Cca, so you can be assured they'll meet required safety standards for public and commercial buildings.

White cable is available in all variants, and black cable is available in 1.00mm² LSHF.

Standard Luminaire Kit, White

Use with standard (on/off) luminaires.

This kit is made up of a white 3-pole socket, white 3-core luminaire lead with white plug, and a white decorative cover.



Description	PVC cable	Price	LSHF Cable	Price
0.75mm white cable, 1 metre	PK375PVC1/W	£7.40	PK375LSHF1/W	£9.40
0.75mm white cable, 2 metre	PK375PVC2/W	£7.58	PK375LSHF2/W	£10.38
0.75mm white cable, 3 metre	PK375PVC3/W	£8.80	PK375LSHF3/W	£11.40
0.75mm white cable, 4 metre	PK375PVC4/W	£10.34	PK375LSHF4/W	£12.39
0.75mm white cable, 5 metre	PK375PVC5/W	£11.91	PK375LSHF5/W	£13.40
1.00mm white cable, 1 metre	PK3100PVC1/W	£8.43	PK3100LSHF1/W	£9.58
1.00mm white cable, 2 metre	PK3100PVC2/W	£9.29	PK3100LSHF2/W	£10.73
1.00mm white cable, 3 metre	PK3100PVC3/W	£10.18	PK3100LSHF3/W	£11.91
1.00mm white cable, 4 metre	PK3100PVC4/W	£11.04	PK3100LSHF4/W	£13.05
1.00mm white cable, 5 metre	PK3100PVC5/W	£12.79	PK3100LSHF5/W	£15.51
1.50mm white cable, 1 metre			PK3150LSHF1/W	£10.08
1.50mm white cable, 2 metre			PK3150LSHF2/W	£11.64
1.50mm white cable, 3 metre			PK3150LSHF3/W	£13.22
1.50mm white cable, 4 metre			PK3150LSHF4/W	£14.78
1.50mm white cable, 5 metre			PK3150LSHF5/W	£16.37

Standard Luminaire Kit, Black

Use with standard (on/off) luminaires.

This kit is made up of a black 3-pole socket, black 3-core luminaire lead with white plug, and a black decorative cover.



Description	LSHF Cable	Price
1.00mm black cable, 1 metre	PK3100LSHF1/WB	£11.49
1.00mm black cable, 2 metre	PK3100LSHF2/WB	£12.78
1.00mm black cable, 3 metre	PK3100LSHF3/WB	£14.11
1.00mm black cable, 4 metre	PK3100LSHF4/WB	£15.41
1.00mm black cable, 5 metre	PK3100LSHF5/WB	£18.38

Emergency Luminaire Kits, White With Red Plug

Use with maintained emergency luminaires.

This kit is made up of a white 4-pole socket, white 4-core luminaire lead with red plug, and a white decorative cover.




Description	PVC cable	Price	LSHF Cable	Price
0.75mm white cable, 1 metre	PK475PVC1/R	£9.25	PK475LSHF1/R	£10.54
0.75mm white cable, 2 metre	PK475PVC2/R	£10.14	PK475LSHF2/R	£11.74
0.75mm white cable, 3 metre	PK475PVC3/R	£11.05	PK475LSHF3/R	£12.98
0.75mm white cable, 4 metre	PK475PVC4/R	£11.93	PK475LSHF4/R	£14.18
0.75mm white cable, 5 metre	PK475PVC5/R	£12.85	PK475LSHF5/R	£15.42
1.00mm white cable, 1 metre	PK4100PVC1/R	£9.48	PK4100LSHF1/R	£10.84
1.00mm white cable, 2 metre	PK4100PVC2/R	£10.58	PK4100LSHF2/R	£12.32
1.00mm white cable, 3 metre	PK4100PVC3/R	£11.71	PK4100LSHF3/R	£13.84
1.00mm white cable, 4 metre	PK4100PVC4/R	£12.81	PK4100LSHF4/R	£15.33
1.00mm white cable, 5 metre	PK4100PVC5/R	£13.94	PK4100LSHF5/R	£16.85
1.50mm white cable, 1 metre			PK4150LSHF1/R	£11.52
1.50mm white cable, 2 metre			PK4150LSHF2/R	£13.57
1.50mm white cable, 3 metre			PK4150LSHF3/R	£15.65
1.50mm white cable, 4 metre			PK4150LSHF4/R	£19.10
1.50mm white cable, 5 metre			PK4150LSHF5/R	£21.20

Emergency Luminaire Kits, Black With Red Plug

Use with maintained emergency luminaires.

This kit is made up of a black 4-pole socket, black 4-core luminaire lead with red plug, and a black decorative cover.



Description	LSHF Cable	Price
1.00mm black cable, 1 metre	PK4100LSHF1/RB	£13.20
1.00mm black cable, 2 metre	PK4100LSHF2/RB	£15.04
1.00mm black cable, 3 metre	PK4100LSHF3/RB	£16.93
1.00mm black cable, 4 metre	PK4100LSHF4/RB	£18.78
1.00mm black cable, 5 metre	PK4100LSHF5/RB	£20.67

Emergency Luminaire Kits, White

Use with maintained emergency luminaires.

This kit is made up of a white 4-pole socket, white 4-core luminaire lead with white plug, and a white decorative cover.



Description	PVC cable	Price	LSHF Cable	Price
0.75mm white cable, 1 metre	PK475PVC1/W	£9.19	PK475LSHF1/W	£10.47
0.75mm white cable, 2 metre	PK475PVC2/W	£10.07	PK475LSHF2/W	£11.67
0.75mm white cable, 3 metre	PK475PVC3/W	£10.99	PK475LSHF3/W	£12.91
0.75mm white cable, 4 metre	PK475PVC4/W	£11.87	PK475LSHF4/W	£14.11
0.75mm white cable, 5 metre	PK475PVC5/W	£12.79	PK475LSHF5/W	£15.35
1.00mm white cable, 1 metre	PK4100PVC1/W	£9.42	PK4100LSHF1/W	£10.77
1.00mm white cable, 2 metre	PK4100PVC2/W	£10.52	PK4100LSHF2/W	£12.25
1.00mm white cable, 3 metre	PK4100PVC3/W	£11.65	PK4100LSHF3/W	£13.77
1.00mm white cable, 4 metre	PK4100PVC4/W	£12.75	PK4100LSHF4/W	£15.26
1.00mm white cable, 5 metre	PK4100PVC5/W	£13.88	PK4100LSHF5/W	£16.78
1.50mm white cable, 1 metre			PK4150LSHF1/W	£11.45
1.50mm white cable, 2 metre			PK4150LSHF2/W	£13.50
1.50mm white cable, 3 metre			PK4150LSHF3/W	£15.58
1.50mm white cable, 4 metre			PK4150LSHF4/W	£19.02
1.50mm white cable, 5 metre			PK4150LSHF5/W	£21.12

Emergency Luminaire Kits, Black

Use with maintained emergency luminaires.

This kit is made up of a black 4-pole socket, black 4-core luminaire lead with white plug, and a black decorative cover.



Description	LSHF Cable	Price
1.00mm black cable, 1 metre	PK4100LSHF1/WB	£13.12
1.00mm black cable, 2 metre	PK4100LSHF2/WB	£14.96
1.00mm black cable, 3 metre	PK4100LSHF3/WB	£16.85
1.00mm black cable, 4 metre	PK4100LSHF4/WB	£18.69
1.00mm black cable, 5 metre	PK4100LSHF5/WB	£20.59

Cover & Sockets

If preferred, you can purchase decorative covers, sockets, and luminaire leads individually.

Prota plugs are not available unwired, but we do offer an extensive range of luminaire leads.

Decorative Cover

The Decorative Cover fits neatly over the plug and socket with a simple quarter-twist action. This ensures the cover remains securely in place, but is easy to remove when required.



Description	Part no.	Price
Decorative Cover in white (Box of 10)	PDC/W	£1.21 ea.
Decorative Cover in red (Box of 10)	PDC/R	£1.36 ea.
Decorative Cover in black (Box of 10)	PDC/B	£1.59 ea.

Sockets

Prota sockets are supplied with captivated M4 fixing screws. They mount directly to any standard BESA box. The socket sits completely flush against the conduit box, with no back projection into it. This maximises wiring space.





Side accessible terminals make testing and fault finding post installation easy and trouble-free. Terminals easily accept 5 x 1.50mm² conductors.

Decription	Part no.	Price
3-Pole Socket, white (Box of 10)	PS03/W	£3.32 ea.
4-Pole Socket, white (Box of 10)	PS04/W	£3.69 ea.
5-Pole Socket, white (Box of 10)	PS05/W	£5.48 ea.
6-Pole Socket, white (Box of 10)	PS06/W	£6.01 ea.
7-Pole Socket, white (Box of 10)	PS07/W	£7.38 ea.
3-Pole Socket, black (Box of 10)	PS03/B	£4.09 ea.
4-Pole Socket, black (Box of 10)	PS04/B	£4.53 ea.
5-Pole Socket, black (Box of 10)	PS05/B	£6.42 ea.
6-Pole Socket, black (Box of 10)	PS06/B	£7.03 ea.
7-Pole Socket, black (Box of 10)	PS07/B	£8.44 ea.

Luminaire Leads

We offer an extensive range of luminaire leads which minimise installation time. All variants are available in Low Smoke Halogen Free (LSHF) cable, in accordance with BS EN 50525-3-11 and CPR rated to category Cca, so you can be assured that they'll meet required safety standards for public and commercial buildings.

White cable is available in all variants, and black cable is available in 1.00mm² LSHF.

Standard Luminaire Leads, White

3-core luminaire lead for use with standard (on/off) luminaires. Supplied with white plug.





Description	PVC cable	Price	LSHF Cable	Price
0.75mm white cable, 1 metre	PL375PVC1/W	£4.81	PL375LSHF1/W	£6.02
0.75mm white cable, 2 metre	PL375PVC2/W	£5.51	PL375LSHF2/W	£7.03
0.75mm white cable, 3 metre	PL375PVC3/W	£6.25	PL375LSHF3/W	£8.07
0.75mm white cable, 4 metre	PL375PVC4/W	£6.95	PL375LSHF4/W	£9.08
0.75mm white cable, 5 metre	PL375PVC5/W	£7.69	PL375LSHF5/W	£10.13
1.00mm white cable, 1 metre	PL3100PVC1/W	£5.00	PL3100LSHF1/W	£6.21
1.00mm white cable, 2 metre	PL3100PVC2/W	£5.88	PL3100LSHF2/W	£7.37
1.00mm white cable, 3 metre	PL3100PVC3/W	£7.33	PL3100LSHF3/W	£8.58
1.00mm white cable, 4 metre	PL3100PVC4/W	£8.21	PL3100LSHF4/W	£10.67
1.00mm white cable, 5 metre	PL3100PVC5/W	£9.13	PL3100LSHF5/W	£11.89
1.50mm white cable, 1 metre			PL3150LSHF1/W	£6.37
1.50mm white cable, 2 metre			PL3150LSHF2/W	£7.94
1.50mm white cable, 3 metre			PL3150LSHF3/W	£9.54
1.50mm white cable, 4 metre			PL3150LSHF4/W	£12.41
1.50mm white cable, 5 metre			PL3150LSHF5/W	£14.05

	PS03/W	PS04/W	PS05/W	PS06/W	PS07/W
Socket Compatability	\checkmark	✓	✓	✓	✓

Standard Luminaire Leads, Black With White Plug

3-core luminaire lead for use with standard (on/off) luminaires. Supplied with white plug and black lead.






Description	LSHF Cable	Price
1.00mm black cable, 1 metre	PL3100LSHF1/WB	£7.25
1.00mm black cable, 2 metre	PL3100LSHF2/WB	£8.56
1.00mm black cable, 3 metre	PL3100LSHF3/WB	£9.93
1.00mm black cable, 4 metre	PL3100LSHF4/WB	£12.28
1.00mm black cable, 5 metre	PL3100LSHF5/WB	£13.68

	PS03/W	PS04/W	PS05/W	PS06/W	PS07/W
Socket Compatability	\checkmark	✓	✓	✓	✓

Emergency Luminaire Leads, White With Red Plug

Use with maintained emergency luminaires.

4-core luminaire lead for use with maintained emergency luminaires. Supplied with red plug and white lead.




Description	PVC cable	Price	LSHF Cable	Price
0.75mm white cable, 1 metre	PL475PVC1/R	£5.52	PL475LSHF1/R	£6.87
0.75mm white cable, 2 metre	PL475PVC2/R	£6.41	PL475LSHF2/R	£8.09
0.75mm white cable, 3 metre	PL475PVC3/R	£7.34	PL475LSHF3/R	£9.36
0.75mm white cable, 4 metre	PL475PVC4/R	£8.24	PL475LSHF4/R	£10.58
0.75mm white cable, 5 metre	PL475PVC5/R	£9.81	PL475LSHF5/R	£11.85
1.00mm white cable, 1 metre	PL4100PVC1/R	£5.74	PL4100LSHF1/R	£7.16
1.00mm white cable, 2 metre	PL4100PVC2/R	£6.85	PL4100LSHF2/R	£8.66
1.00mm white cable, 3 metre	PL4100PVC3/R	£8.00	PL4100LSHF3/R	£10.21
1.00mm white cable, 4 metre	PL4100PVC4/R	£9.11	PL4100LSHF4/R	£11.71
1.00mm white cable, 5 metre	PL4100PVC5/R	£10.89	PL4100LSHF5/R	£14.31
1.50mm white cable, 1 metre			PL4150LSHF1/R	£7.86
1.50mm white cable, 2 metre			PL4150LSHF2/R	£9.92
1.50mm white cable, 3 metre			PL4150LSHF3/R	£13.06
1.50mm white cable, 4 metre			PL4150LSHF4/R	£15.13
1.50mm white cable, 5 metre			PL4150LSHF5/R	£17.27

	PS03/W	PS04/W	PS05/W	PS06/W	PS07/W
Socket Compatability	×	✓	×	✓	✓

Emergency Luminaire Leads, Black With Red Plug

Use with maintained emergency luminaires.

4-core luminaire lead for use with maintained emergency luminaires. Supplied with red plug and black lead.



Description	LSHF Cable	Price
1.00mm black cable, 1 metre	PL4100LSHF1/RB	£8.59
1.00mm black cable, 2 metre	PL4100LSHF2/RB	£10.46
1.00mm black cable, 3 metre	PL4100LSHF3/RB	£12.39
1.00mm black cable, 4 metre	PL4100LSHF4/RB	£14.26
1.00mm black cable, 5 metre	PL4100LSHF5/RB	£17.38

	PS03/W	PS04/W	PS05/W	PS06/W	PS07/W
Socket Compatability	×	√	×	✓	✓

Emergency Luminaire Leads, White

Use with maintained emergency luminaires.

4-core luminaire lead for use with maintained emergency luminaires. Supplied with white plug and lead.





Description	PVC cable	Price	LSHF Cable	Price
0.75mm white cable, 1 metre	PL475PVC1/W	£5.45	PL475LSHF1/W	£6.79
0.75mm white cable, 2 metre	PL475PVC2/W	£6.34	PL475LSHF2/W	£8.00
0.75mm white cable, 3 metre	PL475PVC3/W	£7.28	PL475LSHF3/W	£9.27
0.75mm white cable, 4 metre	PL475PVC4/W	£8.17	PL475LSHF4/W	£10.50
0.75mm white cable, 5 metre	PL475PVC5/W	£9.73	PL475LSHF5/W	£11.77
1.00mm white cable, 1 metre	PL4100PVC1/W	£5.67	PL4100LSHF1/W	£7.07
1.00mm white cable, 2 metre	PL4100PVC2/W	£6.78	PL4100LSHF2/W	£8.57
1.00mm white cable, 3 metre	PL4100PVC3/W	£7.93	PL4100LSHF3/W	£10.13
1.00mm white cable, 4 metre	PL4100PVC4/W	£9.04	PL4100LSHF4/W	£11.63
1.00mm white cable, 5 metre	PL4100PVC5/W	£10.81	PL4100LSHF5/W	£14.21
1.50mm white cable, 1 metre			PL4150LSHF1/W	£7.78
1.50mm white cable, 2 metre			PL4150LSHF2/W	£9.84
1.50mm white cable, 3 metre			PL4150LSHF3/W	£12.96
1.50mm white cable, 4 metre			PL4150LSHF4/W	£15.03
1.50mm white cable, 5 metre			PL4150LSHF5/W	£17.17

	PS03/W	PS04/W	PS05/W	PS06/W	PS07/W
Socket Compatability	×	✓	×	✓	✓

Emergency Luminaire Leads, Black With White Plug

Use with maintained emergency luminaires.

4-core luminaire lead for use with maintained emergency luminaires. Supplied with white plug and black lead.





Description	LSHF Cable	Price
1.00mm black cable, 1 metre	PL4100LSHF1/WB	£8.50
1.00mm black cable, 2 metre	PL4100LSHF2/WB	£10.37
1.00mm black cable, 3 metre	PL4100LSHF3/WB	£12.30
1.00mm black cable, 4 metre	PL4100LSHF4/WB	£14.17
1.00mm black cable, 5 metre	PL4100LSHF5/WB	£17.27

	PS03/W	PS04/W	PS05/W	PS06/W	PS07/W
Socket Compatability	×	✓	×	✓	✓

Dimmable Luminaire Leads, White

5-core luminaire lead for use with dimmable luminaires. Supplied with white plug and lead.



Description	LSHF Cable	Price
0.75mm white cable, 1 metre	PL575LSHF1/W	£8.04
0.75mm white cable, 2 metre	PL575LSHF2/W	£10.91
0.75mm white cable, 3 metre	PL575LSHF3/W	£12.76
0.75mm white cable, 4 metre	PL575LSHF4/W	£14.54
0.75mm white cable, 5 metre	PL575LSHF5/W	£16.40
1.00mm white cable, 1 metre	PL5100LSHF1/W	£9.46
1.00mm white cable, 2 metre	PL5100LSHF2/W	£11.54
1.00mm white cable, 3 metre	PL5100LSHF3/W	£13.69
1.00mm white cable, 4 metre	PL5100LSHF4/W	£15.77
1.00mm white cable, 5 metre	PL5100LSHF5/W	£17.92

	PS03/W	PS04/W	PS05/W	PS06/W	PS07/W
Socket Compatability	×	×	✓	✓	✓

Dimmable Luminaire Leads, Black With White Plug

5-core luminaire lead for use with dimmable luminaires. Supplied with white plug and black lead.



Description	LSHF Cable	Price
1.00mm black cable, 1 metre	PL5100LSHF1/WB	£11.11
1.00mm black cable, 2 metre	PL5100LSHF2/WB	£13.44
1.00mm black cable, 3 metre	PL5100LSHF3/WB	£15.84
1.00mm black cable, 4 metre	PL5100LSHF4/WB	£18.16
1.00mm black cable, 5 metre	PL5100LSHF5/WB	£20.57

	PS03/W	PS04/W	PS05/W	PS06/W	PS07/W
Socket Compatability	×	×	✓	✓	✓

Dimmable Maintained Emergency Luminaire Leads, White With Red Plug

6-core luminaire lead for use with dimmable, maintained emergency luminaires. Supplied with red plug and white lead.




Description	LSHF Cable	Price
0.75mm white cable, 1 metre	PL675LSHF1/R	£10.30
0.75mm white cable, 2 metre	PL675LSHF2/R	£12.46
0.75mm white cable, 3 metre	PL675LSHF3/R	£14.70
0.75mm white cable, 4 metre	PL675LSHF4/R	£16.86
0.75mm white cable, 5 metre	PL675LSHF5/R	£19.11
1.00mm white cable, 1 metre	PL6100LSHF1/R	£10.67
1.00mm white cable, 2 metre	PL6100LSHF2/R	£13.22
1.00mm white cable, 3 metre	PL6100LSHF3/R	£15.85
1.00mm white cable, 4 metre	PL6100LSHF4/R	£18.40

	PS03/W	PS04/W	PS05/W	PS06/W	PS07/W
Socket Compatability	×	×	×	✓	✓

Dimmable Maintained Emergency Luminaire Leads, Black With Red Plug

6-core luminaire lead for use with dimmable, maintained emergency luminaires. Supplied with red plug and black lead.





Description	LSHF Cable	Price
1.00mm black cable, 1 metre	PL6100LSHF1/RB	£12.99
1.00mm black cable, 2 metre	PL6100LSHF2/RB	£16.24
1.00mm black cable, 3 metre	PL6100LSHF3/RB	£19.59
1.00mm black cable, 4 metre	PL6100LSHF4/RB	£22.84
1.00mm black cable, 5 metre	PL6100LSHF5/RB	£26.19

	PS03/W	PS04/W	PS05/W	PS06/W	PS07/W
Socket Compatability	×	×	×	✓	✓

Dimmable Emergency Luminaire Leads, White

6-core luminaire lead for use with dimmable, maintained emergency luminaires. Supplied with white plug and lead.



Description	LSHF Cable	Price
0.75mm white cable, 1 metre	PL675LSHF1/W	£10.20
0.75mm white cable, 2 metre	PL675LSHF2/W	£12.36
0.75mm white cable, 3 metre	PL675LSHF3/W	£14.60
0.75mm white cable, 4 metre	PL675LSHF4/W	£16.76
0.75mm white cable, 5 metre	PL675LSHF5/W	£19.01
1.00mm white cable, 1 metre	PL6100LSHF1/W	£10.57
1.00mm white cable, 2 metre	PL6100LSHF2/W	£13.12
1.00mm white cable, 3 metre	PL6100LSHF3/W	£15.75
1.00mm white cable, 4 metre	PL6100LSHF4/W	£18.30
1.00mm white cable, 5 metre	PL6100LSHF5/W	£20.94

	PS03/W	PS04/W	PS05/W	PS06/W	PS07/W
Socket Compatability	×	×	×	✓	✓

Dimmable Emergency Luminaire Leads, Black With White Plug

6-core luminaire lead for use with dimmable, maintained emergency luminaires. Supplied with white plug and black lead.





Description	LSHF Cable	Price
1.00mm black cable, 1 metre	PL6100LSHF1/WB	£12.88
1.00mm black cable, 2 metre	PL6100LSHF2/WB	£16.14
1.00mm black cable, 3 metre	PL6100LSHF3/WB	£19.48
1.00mm black cable, 4 metre	PL6100LSHF4/WB	£22.74
1.00mm black cable, 5 metre	PL6100LSHF5/WB	£26.08

	PS03/W	PS04/W	PS05/W	PS06/W	PS07/W
Socket Compatability	×	×	×	✓	✓

Luminaire Leads For Special Applications, White

7-core luminaire lead for use with bespoke luminaires eg. luminaires that have multiple switch lives. Supplied with white plug and lead.



Description	LSHF Cable	Price
0.75mm white cable, 1 metre	PL775LSHF1/W	£10.47
0.75mm white cable, 2 metre	PL775LSHF2/W	£12.97
0.75mm white cable, 3 metre	PL775LSHF3/W	£15.55
0.75mm white cable, 4 metre	PL775LSHF4/W	£19.47
0.75mm white cable, 5 metre	PL775LSHF5/W	£22.09
1.00mm white cable, 1 metre	PL7100LSHF1/W	£10.80
1.00mm white cable, 2 metre	PL7100LSHF2/W	£15.02
1.00mm white cable, 3 metre	PL7100LSHF3/W	£17.98
1.00mm white cable, 4 metre	PL7100LSHF4/W	£20.83

	PS03/W	PS04/W	PS05/W	PS06/W	PS07/W
Socket Compatability	×	×	×	×	✓

Luminaire Leads For Special Applications, Black With White Plug

7-core luminaire lead for use with bespoke luminaires eg. luminaires that have multiple switch lives. Supplied with white plug and black lead.






Description	LSHF Cable	Price
1.00mm black cable, 1 metre	PL7100LSHF1/WB	£13.28
1.00mm black cable, 2 metre	PL7100LSHF2/WB	£18.51
1.00mm black cable, 3 metre	PL7100LSHF3/WB	£22.29
1.00mm black cable, 4 metre	PL7100LSHF4/WB	£25.96
1.00mm black cable, 5 metre	PL7100LSHF5/WB	£29.75

	PS03/W	PS04/W	PS05/W	PS06/W	PS07/W
Socket Compatability	×	×	×	×	✓

Non-Maintained Emergency Luminaire Leads, White With Red Plug

3-core luminaire lead for use with non-maintained, emergency luminaires. Supplied with red plug and white lead.






Description	PVC Cable	Price	LSHF Cable	Price
0.75mm white cable, 1 metre	PL375PVC1/RE	£4.88	PL375LSHF1/RE	£6.11
0.75mm white cable, 2 metre	PL375PVC2/RE	£5.58	PL375LSHF2/RE	£7.11
0.75mm white cable, 3 metre	PL375PVC3/RE	£6.32	PL375LSHF3/RE	£9.08
0.75mm white cable, 4 metre	PL375PVC4/RE	£7.58	PL375LSHF4/RE	£10.10
0.75mm white cable, 5 metre	PL375PVC5/RE	£8.34	PL375LSHF5/RE	£11.16
1.00mm white cable, 1 metre	PL3100PVC1/RE	£5.61	PL3100LSHF1/RE	£6.29
1.00mm white cable, 2 metre	PL3100PVC2/RE	£6.49	PL3100LSHF2/RE	£8.36
1.00mm white cable, 3 metre	PL3100PVC3/RE	£7.41	PL3100LSHF3/RE	£9.59
1.00mm white cable, 4 metre	PL3100PVC4/RE	£8.66	PL3100LSHF4/RE	£10.76
1.00mm white cable, 5 metre	PL3100PVC5/RE	£9.59	PL3100LSHF5/RE	£11.99
1.50mm white cable, 1 metre			PL3150LSHF1/RE	£6.81
1.50mm white cable, 2 metre			PL3150LSHF2/RE	£8.38
1.50mm white cable, 3 metre			PL3150LSHF3/RE	£9.99
1.50mm white cable, 4 metre			PL3150LSHF4/RE	£12.51
1.50mm white cable, 5 metre			PL3150LSHF5/RE	£14.15

	PS03/W	PS04/W	PS05/W	PS06/W	PS07/W
Socket Compatability	×	✓	×	✓	✓

Non-Maintained Emergency Luminaire Leads, Black With Red Plug

3-core luminaire lead for use with non-maintained, emergency luminaires. Supplied with red plug and black lead.



Description	LSHF Cable	Price
1.00mm black cable, 1 metre	PL3100LSHF1/RBE	£7.34
1.00mm black cable, 2 metre	PL3100LSHF2/RBE	£9.66
1.00mm black cable, 3 metre	PL3100LSHF3/RBE	£11.05
1.00mm black cable, 4 metre	PL3100LSHF4/RBE	£12.39
1.00mm black cable, 5 metre	PL3100LSHF5/RBE	£13.78

	PS03/W	PS04/W	PS05/W	PS06/W	PS07/W
Socket Compatability	×	✓	×	✓	✓

Permanent Supply Luminaire Leads, White

3-core luminaire lead for use where each luminaire has an integral PIR, and no external control device is required. Supplied with white plug and lead.





Description	PVC cable	Price	LSHF Cable	Price
0.75mm white cable, 1 metre	PL375PVC1/WP	£5.34	PL375LSHF1/WP	£7.43
0.75mm white cable, 2 metre	PL375PVC2/WP	£6.05	PL375LSHF2/WP	£8.45
0.75mm white cable, 3 metre	PL375PVC3/WP	£6.80	PL375LSHF3/WP	£9.53
0.75mm white cable, 4 metre	PL375PVC4/WP	£7.51	PL375LSHF4/WP	£10.55
0.75mm white cable, 5 metre	PL375PVC5/WP	£8.26	PL375LSHF5/WP	£11.63
1.00mm white cable, 1 metre	PL3100PVC1/WP	£5.53	PL3100LSHF1/WP	£7.62
1.00mm white cable, 2 metre	PL3100PVC2/WP	£7.66	PL3100LSHF2/WP	£8.80
1.00mm white cable, 3 metre	PL3100PVC3/WP	£8.61	PL3100LSHF3/WP	£10.04
1.00mm white cable, 4 metre	PL3100PVC4/WP	£9.50	PL3100LSHF4/WP	£11.22
1.00mm white cable, 5 metre	PL3100PVC5/WP	£10.45	PL3100LSHF5/WP	£12.46
1.50mm white cable, 1 metre			PL3150LSHF1/WP	£8.15
1.50mm white cable, 2 metre			PL3150LSHF2/WP	£9.74
1.50mm white cable, 3 metre			PL3150LSHF3/WP	£11.38
1.50mm white cable, 4 metre			PL3150LSHF4/WP	£12.97
1.50mm white cable, 5 metre			PL3150LSHF5/WP	£14.62

	PS03/W	PS04/W	PS05/W	PS06/W	PS07/W
Socket Compatability	×	×	×	×	✓

Permanent Supply Luminaire Leads, Black With White Plug

3-core luminaire lead for use where each luminaire has an integral PIR, and no external control device is required. Supplied with white plug and black lead.






Description	LSHF Cable	Price
1.00mm black cable, 1 metre	PL3100LSHF1/WBP	£8.81
1.00mm black cable, 2 metre	PL3100LSHF2/WBP	£10.15
1.00mm black cable, 3 metre	PL3100LSHF3/WBP	£11.55
1.00mm black cable, 4 metre	PL3100LSHF4/WBP	£12.90
1.00mm black cable, 5 metre	PL3100LSHF5/WBP	£14.31

	PS03/W	PS04/W	PS05/W	PS06/W	PS07/W
Socket Compatability	×	×	×	×	✓

Permanent Supply + Maintained Emergency Luminaire Leads, White With Red Plug

4-core luminaire lead for use where each maintained emergency luminaire has an integral PIR, and no external control device is required. Supplied with red plug and white lead.




Description	PVC cable	Price	LSHF Cable	Price
0.75mm white cable, 1 metre	PL475PVC1/RP	£8.09	PL475LSHF1/RP	£8.45
0.75mm white cable, 2 metre	PL475PVC2/RP	£9.01	PL475LSHF2/RP	£9.69
0.75mm white cable, 3 metre	PL475PVC3/RP	£9.99	PL475LSHF3/RP	£10.99
0.75mm white cable, 4 metre	PL475PVC4/RP	£10.91	PL475LSHF4/RP	£12.22
0.75mm white cable, 5 metre	PL475PVC5/RP	£11.90	PL475LSHF5/RP	£13.53
1.00mm white cable, 1 metre	PL4100PVC1/RP	£8.29	PL4100LSHF1/RP	£8.73
1.00mm white cable, 2 metre	PL4100PVC2/RP	£9.42	PL4100LSHF2/RP	£10.24
1.00mm white cable, 3 metre	PL4100PVC3/RP	£10.63	PL4100LSHF3/RP	£11.83
1.00mm white cable, 4 metre	PL4100PVC4/RP	£11.76	PL4100LSHF4/RP	£13.35
1.00mm white cable, 5 metre	PL4100PVC5/RP	£12.97	PL4100LSHF5/RP	£14.93
1.50mm white cable, 1 metre			PL4150LSHF1/RP	£9.45
1.50mm white cable, 2 metre			PL4150LSHF2/RP	£11.52
1.50mm white cable, 3 metre			PL4150LSHF3/RP	£13.67
1.50mm white cable, 4 metre			PL4150LSHF4/RP	£15.75
1.50mm white cable, 5 metre			PL4150LSHF5/RP	£17.90

	PS03/W	PS04/W	PS05/W	PS06/W	PS07/W
Socket Compatability	×	×	×	×	✓

Permanent Supply + Maintained Emergency Luminaire Leads, Black With Red Plug

4-core luminaire lead for use where each maintained emergency luminaire has an integral PIR, and no external control device is required. Supplied with red plug and black lead.



Description	LSHF Cable	Price
1.00mm black cable, 1 metre	PL4100LSHF1/RBP	£10.35
1.00mm black cable, 2 metre	PL4100LSHF2/RBP	£12.25
1.00mm black cable, 3 metre	PL4100LSHF3/RBP	£14.22
1.00mm black cable, 4 metre	PL4100LSHF4/RBP	£16.12
1.00mm black cable, 5 metre	PL4100LSHF5/RBP	£18.09

	PS03/W	PS04/W	PS05/W	PS06/W	PS07/W
Socket Compatability	×	*	×	×	✓

DALI and DALI Maintained Emergency Luminaire Leads


Use with luminaires that are controlled solely by a DALI signal (or similar protocol) and as such do not require mains rated switched live.

Luminaire leads ending "D" derive their permanent supply separately to the emergency supply (non-emergency luminaires remain operational during an emergency test).

Luminaire leads ending "X" derive their permanent supply from the emergency supply (non-emergency luminaires turn off during an emergency test).

DALI Luminaire Leads, White - Live on Pin 1

5-core luminaire lead for use with luminaire controlled by DALI (or similar) protocol. Supplied with white plug and lead.





Description	LSHF Cable	Price
0.75mm white cable, 1 metre	PL575LSHF1/WD	£9.78
0.75mm white cable, 2 metre	PL575LSHF2/WD	£11.56
0.75mm white cable, 3 metre	PL575LSHF3/WD	£13.43
0.75mm white cable, 4 metre	PL575LSHF4/WD	£15.22
0.75mm white cable, 5 metre	PL575LSHF5/WD	£17.09
1.00mm white cable, 1 metre	PL5100LSHF1/WD	£10.12
1.00mm white cable, 2 metre	PL5100LSHF2/WD	£12.20
1.00mm white cable, 3 metre	PL5100LSHF3/WD	£14.36
1.00mm white cable, 4 metre	PL5100LSHF4/WD	£16.44
1.00mm white cable, 5 metre	PL5100LSHF5/WD	£18.61

	PS03/W	PS04/W	PS05/W	PS06/W	PS07/W
Socket Compatability	×	×	×	×	✓

DALI Luminaire Leads, Black With White Plug - Live on Pin 1

5-core luminaire lead for use with luminaire controlled by DALI (or similar) protocol. Supplied with white plug and black lead.

All luminaire leads in the range are 100% tested, and come with ferruled conductors at the free end.

This luminaire lead has no facility for a switched live. Non-emergency luminaires remain operational during emergency test.



Description	LSHF Cable	Price
1.00mm black cable, 1 metre	PL5100LSHF1/WBD	£11.85
1.00mm black cable, 2 metre	PL5100LSHF2/WBD	£14.18
1.00mm black cable, 3 metre	PL5100LSHF3/WBD	£16.60
1.00mm black cable, 4 metre	PL5100LSHF4/WBD	£18.94
1.00mm black cable, 5 metre	PL5100LSHF5/WBD	£21.36

	PS03/W	PS04/W	PS05/W	PS06/W	PS07/W
Socket Compatability	×	×	×	×	✓

DALI + Maintained Emergency Luminaire Leads, White With Red Plug - Live on Pin 1

6-core luminaire lead for use with maintained emergency luminaire controlled by DALI (or similar) protocol. Supplied with red plug and white lead.







Description	LSHF Cable	Price
0.75mm white cable, 1 metre	PL675LSHF1/RD	£11.02
0.75mm white cable, 2 metre	PL675LSHF2/RD	£13.18
0.75mm white cable, 3 metre	PL675LSHF3/RD	£15.44
0.75mm white cable, 4 metre	PL675LSHF4/RD	£17.61
0.75mm white cable, 5 metre	PL675LSHF5/RD	£19.87
1.00mm white cable, 1 metre	PL6100LSHF1/RD	£11.38
1.00mm white cable, 1 metre 1.00mm white cable, 2 metre	PL6100LSHF1/RD PL6100LSHF2/RD	£11.38 £13.93
1.00mm white cable, 2 metre	PL6100LSHF2/RD	£13.93

	PS03/W	PS04/W	PS05/W	PS06/W	PS07/W
Socket Compatability	×	×	×	×	✓

DALI + Maintained Emergency Luminaire Leads, Black With Red Plug - Live on Pin 1

6-core luminaire lead for use with maintained emergency luminaire controlled by DALI (or similar) protocol. Supplied with red plug and black lead.





Description	LSHF Cable	Price
1.00mm black cable, 1 metre	PL6100LSHF1/RBD	£13.80
1.00mm black cable, 2 metre	PL6100LSHF2/RBD	£17.07
1.00mm black cable, 3 metre	PL6100LSHF3/RBD	£20.43
1.00mm black cable, 4 metre	PL6100LSHF4/RBD	£23.70
1.00mm black cable, 5 metre	PL6100LSHF5/RBD	£27.06

	PS03/W	PS04/W	PS05/W	PS06/W	PS07/W
Socket Compatability	×	×	×	×	✓

DALI + Maintained Emergency Luminaire Leads, White - Live on Pin 2

5-core luminaire lead for use with luminaire or maintained emergency luminaire controlled by DALI (or similar) protocol. Supplied with white plug and lead.

All luminaire leads in the range are 100% tested, and come with ferruled conductors at the free end.

This luminaire lead has no facility for a switched live. Non-emergency luminaires turn off during emergency test.



Description	LSHF Cable	Price
0.75mm white cable, 1 metre	PL575LSHF1/WX	£9.78
0.75mm white cable, 2 metre	PL575LSHF2/WX	£11.56
0.75mm white cable, 3 metre	PL575LSHF3/WX	£13.43
0.75mm white cable, 4 metre	PL575LSHF4/WX	£15.22
0.75mm white cable, 5 metre	PL575LSHF5/WX	£17.09
1.00mm white cable, 1 metre	PL5100LSHF1/WX	£10.12
1.00mm white cable, 2 metre	PL5100LSHF2/WX	£12.20
1.00mm white cable, 3 metre	PL5100LSHF3/WX	£14.36
1.00mm white cable, 4 metre	PL5100LSHF4/WX	£16.44
1.00mm white cable, 5 metre	PL5100LSHF5/WX	£18.61

	PS03/W	PS04/W	PS05/W	PS06/W	PS07/W
Socket Compatability	×	×	×	✓	✓

DALI + Maintained Emergency Luminaire Leads, Black With White Plug - Live on Pin 2

5-core luminaire lead for use with luminaire or maintained emergency luminaire controlled by DALI (or similar) protocol. Supplied with white plug and black lead.

All luminaire leads in the range are 100% tested, and come with ferruled conductors at the free end.

This luminaire lead has no facility for a switched live. Non-emergency luminaires turn off during emergency test.



Description	LSHF Cable	Price
1.00mm black cable, 1 metre	PL5100LSHF1/WBX	£11.85
1.00mm black cable, 2 metre	PL5100LSHF2/WBX	£14.18
1.00mm black cable, 3 metre	PL5100LSHF3/WBX	£16.60
1.00mm black cable, 4 metre	PL5100LSHF4/WBX	£18.94
1.00mm black cable, 5 metre	PL5100LSHF5/WBX	£21.36

	PS03/W	PS04/W	PS05/W	PS06/W	PS07/W
Socket Compatability	×	×	×	✓	✓

DALI + Maintained Emergency Luminaire Leads, White With Red Plug - Live on Pin 2

5-core luminaire lead for use with luminaire or maintained emergency luminaire controlled by DALI (or similar) protocol. Supplied with red plug and white lead.

All luminaire leads in the range are 100% tested, and come with ferruled conductors at the free end.

This luminaire lead has no facility for a switched live. Non-emergency luminaires turn off during emergency test.





Description	LSHF Cable	Price
0.75mm white cable, 1 metre	PL575LSHF1/RX	£9.88
0.75mm white cable, 2 metre	PL575LSHF2/RX	£11.67
0.75mm white cable, 3 metre	PL575LSHF3/RX	£13.54
0.75mm white cable, 4 metre	PL575LSHF4/RX	£15.33
0.75mm white cable, 5 metre	PL575LSHF5/RX	£17.20
1.00mm white cable, 1 metre	PL5100LSHF1/RX	£10.22
1.00mm white cable, 2 metre	PL5100LSHF2/RX	£12.30
1.00mm white cable, 3 metre	PL5100LSHF3/RX	£14.46
1.00mm white cable, 4 metre	PL5100LSHF4/RX	£16.55
1.00mm white cable, 5 metre	PL5100LSHF5/RX	£18.71

	PS03/W	PS04/W	PS05/W	PS06/W	PS07/W
Socket Compatability	×	×	×	✓	✓

DALI + Maintained Emergency Luminaire Leads, Black With Red Plug - Live on Pin 2

5-core luminaire lead for use with luminaire or maintained emergency luminaire controlled by DALI (or similar) protocol. Supplied with red plug and black lead.





Description	LSHF Cable	Price
1.00mm black cable, 1 metre	PL5100LSHF1/RBX	£11.96
1.00mm black cable, 2 metre	PL5100LSHF2/RBX	£14.30
1.00mm black cable, 3 metre	PL5100LSHF3/RBX	£16.72
1.00mm black cable, 4 metre	PL5100LSHF4/RBX	£19.05
1.00mm black cable, 5 metre	PL5100LSHF5/RBX	£21.48


	PS03/W	PS04/W	PS05/W	PS06/W	PS07/W
Socket Compatability	×	×	×	✓	✓


Technical Information


Plug, Socket & Decorative Cover	
SUPPLY VOLTAGE:	230V~
CURRENT RATING:	6A
FREQUENCY:	50Hz
INGRESS PROTECTION:	IP2X
MATERIAL SPECIFICATION:	PA6, Halogen Free, UL94 V0 (moulded components) CZ108, CZ121 (conductive components)
TERMINAL CAPACITY (SOCKET):	5 x 1.50mm², 3 x 2.50mm², 2 x 4.00mm², 1 x 6.00mm²
OPERATING TEMPERATURE:	-5°C / +40°C
CONFORMANCE:	BS 5733 LVD 2014/35/EU RoHS 2011/65/EU

LSHF Cable	
RATED VOLTAGE:	300V / 500V
CONDUCTOR SPECIFICATION:	Class 5 Copper to EN 60228 0.75mm², 1.00mm², 1.50mm² 3-core, 4-core, 5-core, 6-core, 7-core (incl. earth)
CONDUCTOR INSULATION:	Low Smoke Halogen Free (TI6)
SHEATH INSULATION:	Low Smoke Halogen Free (TM7)
CONFORMANCE:	BS EN 50525-3-11 CPR (System 1+) - Cca s1b, d2, a1

PVC Cable	
RATED VOLTAGE:	300V / 500V
CONDUCTOR SPECIFICATION:	Class 5 Copper to EN 60228 0.75mm², 1.00mm² 3-core, 4-core (incl. earth)
CONDUCTOR INSULATION:	PVC (TI2)
SHEATH INSULATION:	PVC (TM2)
CONFORMANCE:	BS EN 50525-2-11 CPR (System 3) - Eca BASEC Approved








Plug Pin Designation For Prota Luminaire Leads

Luminaire Leads	Nun	nber c	f Cor	es in	Plug
Luminaire Leads	3	4	5	6	7
Lx — Grey — Pin 1 — LEm — Black — Pin 2 — N — Blue — Pin 3 — ⊕ — Green / Yellow — Pin ⊕ — Ls — Brown — Pin 4 — -0V — White — Pin 5 — +10V — Red — Pin 6 —	\\ ``\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	୕୳	ံှစစစစုစံ	୕ଵୄଵଵଵଵୄଵ	ၜၟၜၜၜၜၜၟ ၜ


Whilst we always endeavour to supply the core colours shown, on occasion we may need to supply an alternative.



Plug Pin Designation for Specific Application Prota Luminaire Leads

DALI Luminaire Leads (type D)	Nun	iber c	f Cor	es in	Plug
Brief Editional of Education (type B)	3	4	5	6	7
Lx — Brown — Pin 1 —		C	©	9	2
LEm - Black - Pin 2 -	\sim	\sim	\sim	اچا	\sim
N Blue Pin 3	\sim	\sim			\sim
	\simeq	\sim			\simeq
⊕ — Green / Yellow — Pin⊕ —	\otimes				\sim
Ls — Pin 4 —	\otimes	\mathbb{R}^{2}		\sim	\otimes
-0V White Pin 5	\sim	\sim	[*	[<u>•</u>	2
+10V — Red — Pin 6 —			©	● 5	G
DALI Luminaire Leads (type X)	Nun	nber c	f Cor	es in	Plug
DALI Lummaire Leaus (type X)	3	4	5	6	7
Lx — Pin 1 —	C		C	C	C
LEm - Brown - Pin 2 -	\leq	\leq	₹Õ.	\sim	\sim
N — Blue — Pin 3 —	$\tilde{\bigcirc}$	Ŏ	ĕ	$\tilde{\bigcirc}$	$\tilde{}$
⊕ — Green / Yellow — Pin⊕ —	$\tilde{}$	$1 \tilde{\circ}$	ا ۾ ا	\sim	\sim
Is Pin 4	\sim	$1 \sim$		\sim	\sim
-0V White Pin 5	\sim	\sim	اھا	\sim	\searrow
1	\sim	\sim		\sim	\sim
+10V — Red —					
+10V — Red — Pin 6 — O O O O					
Emergency Luminaire Leads (type E)		_			Plug
Emergency Luminaire Leads (type E) (For non-maintained emergency fitting)	Nun	ber c	of Cor	es in	Plug 7
(For non-maintained emergency fitting) LX Pin 1		_			Plug 7
(For non-maintained emergency fitting)		_			Plug 7
(For non-maintained emergency fitting) LX Pin 1		_			Plug 7 000
(For non-maintained emergency fitting) LX — Pin 1 — LEm — Brown — Pin 2 —		_			Plug 7 000
(For non-maintained emergency fitting) Lx — Pin 1 — LEm — Brown — Pin 2 — N — Blue — Pin 3 —		_			Plug 7 Ů () ○ ○ ○ ○
(For non-maintained emergency fitting) Lx		_			Plug 7 Ο΄
(For non-maintained emergency fitting) Lx		_			Plug 7 δγοοογδ
(For non-maintained emergency fitting) LX		4 Å\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	5 Å\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	မ ပီဂူဝဝဝဂူပီ	<u>~</u> Å\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
(For non-maintained emergency fitting) Lx	3 	4 ⁴ ⁴ ⁶ ⁷ ⁸ ⁹ ⁹ ⁹ ⁹ ⁹ ⁹ ⁹ ⁹	5 Å\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		<u>~</u> Å\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
(For non-maintained emergency fitting) Lx		4 Å\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	5 Å\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	မ ပီဂူဝဝဝဂူပီ	<u>~</u> Å\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
(For non-maintained emergency fitting) Lx	3 	4 ⁴ ⁴ ⁶ ⁷ ⁸ ⁹ ⁹ ⁹ ⁹ ⁹ ⁹ ⁹ ⁹	5 Å\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	6	<u>~</u> Å\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
(For non-maintained emergency fitting) Lx	3 	4 ⁴ ⁴ ⁶ ⁷ ⁸ ⁹ ⁹ ⁹ ⁹ ⁹ ⁹ ⁹ ⁹	5 Å\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	6	<u>~</u> Å\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
(For non-maintained emergency fitting) Lx	3 	4 ⁴ ⁴ ⁶ ⁷ ⁸ ⁹ ⁹ ⁹ ⁹ ⁹ ⁹ ⁹ ⁹	5 Å\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	6	<u>~</u> Å\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
(For non-maintained emergency fitting) Lx	3 	4 ⁴ ⁴ ⁶ ⁷ ⁸ ⁹ ⁹ ⁹ ⁹ ⁹ ⁹ ⁹ ⁹	5 Å\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	6	<u>~</u> Å\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
(For non-maintained emergency fitting) Lx	3 	4 ⁴ ⁴ ⁶ ⁷ ⁸ ⁹ ⁹ ⁹ ⁹ ⁹ ⁹ ⁹ ⁹	5 Å\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	6	<u>~</u> Å\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
(For non-maintained emergency fitting) Lx	3 	4 ⁴ ⁴ ⁶ ⁷ ⁸ ⁹ ⁹ ⁹ ⁹ ⁹ ⁹ ⁹ ⁹	5 Å\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	6	<u>~</u> Å\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
(For non-maintained emergency fitting) Lx	3 	4 ⁴ ⁴ ⁶ ⁷ ⁸ ⁹ ⁹ ⁹ ⁹ ⁹ ⁹ ⁹ ⁹	5 Å\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	6	<u>~</u> Å\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\

Whilst we always endeavour to supply the core colours shown, on occasion we may need to supply an alternative.



Dependant on lead type, Pin 2 (LEm) may use either a Brown or a Black conductor. Refer to specific configuration (to the left) for further detail.


Note: IET Wiring Regulations 18th Edition BS 7671

559.5.6 - Protection against heat and UV radiation effects within luminaires.


External cables and cores of cables connected within a luminaire or passing through shall be so selected and erected that they will not suffer damage or deterioration due to heat and UV radiation generated by the luminaire or its lamps (e.g. shielding of the cable from heat and/or UV by means of heat/UV-resistant sleeving).

Modular Lighting Connection

flex7 is a modular lighting connection and control system. It simply plugs together on site, saving up to 60% installation time.







Contact Details

flex7 Ltd Ruscombe Business Park Ruscombe Lane Twyford Berks RG10 9LR General enquiries: info@flex7.co.uk Sales enquiries: sales@flex7.co.uk

> Tel: +44 (0)20 8580 1066 Fax: +44 (0)20 8580 1062

> > www.flex7.co.uk



